

List of All Chemicals

P Tagetes patula (Asteraceae)

Common name(s)

French Marigold

How used

Medicinal

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Part	Low PPM	High PPM	StdDev	*Reference
6-METHOXYKAEMPFEROL	Flower	--	40.0	*	
CAFFEIC-ACID	Plant	--	--		List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Activities (102)					
Aldose-Reductase-Inhibitor 4 ug/ml (weak activity)					Ichikawa, K., et al. 1991. Isolation and Structure Determination of Aldose Reductase Inhibitors from Traditional Thai Medicine, and Syntheses of Their Derivatives. Sankyo Kenkyusho Nempo, 43: 99-110.
Allergenic					
Analgesic					
AntiHIV EC50=200 ug/ml					
AntiLegionella					
Antiadenoviral					Economic & Medicinal Plant Research, 5: 207.
Antiaggregant					Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiaging					
Antiatherogenic					
Antibacterial					
Anticancer					
Anticarcinogenic					Economic & Medicinal Plant Research, 6: 189.
Antidepressant					
Antiedemic					Economic & Medicinal Plant Research, 6: 189.
Antielastase IC50=93 um/l					
Antielastase IC50=86 ug/ml (475 uM)					
Antiescherichic					
Antiflu					Economic & Medicinal Plant Research, 5: 207.
Antigonadotropic					Jim Duke's personal files.
Antihemolytic 25 uM					Ohnishi, M., Morishita, H., Iwahashi, H., Toda, S., Shirataki, Y., Kimura, M., and Kido, R. 1993. Inhibitory Effects of Chlorogenic Acids on Linoleic Acid Peroxidation and Haemolysis. Phytochemistry. 36(3): 579-583. 1994.
Antihepatoadenomic 200 ppm diet orl mus					
Antihepatotoxic					
Antiherpetic 50 ug/ml					
Antiherpetic EC50=>50 ug/ml					
Antihistaminic					
Antihypercholesterolemic					Economic & Medicinal Plant Research, 6: 189.
Antihyperthyroid					
Antiinflammatory					
Antileukemic					Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antileukotriene					
Antimelanogenic					
Antimutagenic					Ki Soon Rhee. Oilseed Food Ingredients Used To Minimize Oxidative Flavor Deterioration in Meat Products. Phenolic Compounds in Food and Their Effects on Health, Ch.18.
Antinitrosaminic					Ki Soon Rhee. Oilseed Food Ingredients Used To Minimize Oxidative Flavor Deterioration in Meat Products. Phenolic Compounds in Food and Their Effects on Health, Ch.18.
Antiphidic					
Antioxidant 50 uM					
Antioxidant IC57=30 ppm					
Antioxidant 1/3 quercetin					
Antioxidant 20 mM					

Antioxidant 1.3 x Vit. E	
Antioxidant 1/2 BHA	
Antiperoxidant IC50=44 uM	Planta Medica, 57: A54, 1991.
Antiperoxidant IC35=200 ug/ml	
Antiperoxidant IC85=100 ug/ml	
Antiproliferant	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antiprostaglandin	
Antiradicular 10 uM	Ohnishi, M., Morishita, H., Iwahashi, H., Toda, S., Shirataki, Y., Kimura, M., and Kido, R. 1993. Inhibitory Effects of Chlorogenic Acids on Linoleic Acid Peroxidation and Haemolysis. <i>Phytochemistry</i> . 36(3): 579-583. 1994.
Antiradicular 1/3 quercetin	
Antiradicular 30 mM	
Antiradicular IC50=32-35 uM	
Antiseptic	
Antispasmodic EC50=3.4-15 uM	Phytotherapy Research, 4: 73.
Antistaphylococcal	
Antistomatitic	Economic & Medicinal Plant Research, 5: 207.
Antisunburn	
Antithiamin	Phenolic Compounds in Food and Their Effects on Health, 69.
Antithyroid	Jim Duke's personal files.
Antitumor 200 ppm diet orl mus	
Antitumor (Skin)	
Antitumor-Promoter IC42=10 uM	Cancer Research, 48: 5941.
Antiulcerogenic	
Antivaccinia	Economic & Medicinal Plant Research, 5: 207.
Antiviral IC50=62.5 ug/ml	
Anxiolytic	
CNS-Active	Wichtl, M. 1984. <i>Teedrogen. Ein Handbuch fur Apotheker und Arzte</i> . Wissenschaftliche Verlagsgesellschaft. mbH Stuttgart. 393 pp.
COX-2-Inhibitor IC32=100 uM	
Calcium-Antagonist IC50=1.2 uM rbt	
Cancer-Preventive	Stitt, P. A. <i>Why George Should Eat Broccoli</i> . Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carcinogenic 2% (diet)	
Chemopreventive	
Cholagogue	Wichtl, M. 1984. <i>Teedrogen. Ein Handbuch fur Apotheker und Arzte</i> . Wissenschaftliche Verlagsgesellschaft. mbH Stuttgart. 393 pp.
Choleretic	Williamson, E. M. and Evans, F. J., <i>Potter's New Cyclopaedia of Botanical Drugs and Preparations</i> , Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Clastogenic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Co-carcinogenic	
Collagen-Sparing	
Cytoprotective	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. <i>Herbal Medicine - A Guide for Health-care Professionals</i> . The Pharmaceutical Press, London. 296pp.
Cytotoxic TC50=200 ug/ml	
DNA-Active	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
DNA-Protective	
Diuretic	Wichtl, M. 1984. <i>Teedrogen. Ein Handbuch fur Apotheker und Arzte</i> . Wissenschaftliche Verlagsgesellschaft. mbH Stuttgart. 393 pp.
Fungicide MIC=0.4 mg/ml	
Hepatocarcinogenic 400 ppm diet orl mus (in the absence of alcohol)	
Hepatoprotective	Advance in Chinese Medicinal Materials Research. 1985. Eds. H. M. Chang, H. W. Yeung, W. -W. Tso and A. Koo. World Scientific Publishing Co., Philadelphia Pa., page 210.
Hepatotropic	
Histamine-Inhibitor	
Immunostimulant	
Insectifuge	Tunon, H., Thorsell, W., and Bohlin, L. 1993. Mosquito Repelling Activity of Compounds Occurring in Achillea millefolium L. (Asteraceae). <i>Economic Botany</i> 48(2): 111-120, 1994.
Leukotriene-Inhibitor	
Lipoxygenase-Inhibitor IC27=5 mM	Oszmianski, J. and Lee, C.Y. 1990. Inhibitory Effect of Phenolics on Carotene Bleaching in Vegetables. <i>J. Agric. Food Chem.</i> 38: 688-690.
Lipoxygenase-Inhibitor IC50=62-148 uM	
Lyase-Inhibitor IC50=94-164 uM	
Metal-Chelator	McEvily, A.J., Iyengar, R., and Gross, A.T. Inhibition of Polyphenol Oxidase by Phenolic Compounds. <i>Phenolic Compounds in Food and Their Effects on Health</i> , Ch.25.
Ornithine-Decarboxylase-Inhibitor	Hagerman, A.E. <i>Tannin-Protein Interactions</i> . <i>Phenolic Compounds in Food and Their Effects on Health</i> , Ch.19.
Pesticide	
Prooxidant	
Prostaglandigenic	
Sedative 500 mg	
Sunscreen IC50=2.5 mg/l	Lazarova*, G., Kostova, I., Nevchev, H. 1992. Photodynamic damage prevention by some hydroxycoumarins. <i>Fitoterapia</i> 64(2):

Sunscreen IC91=5 mg/l	134-136, 1993.
Sunscreen IC98=25 mg/l	Lazarova*, G., Kostova, I., Neychev, H. 1992. Photodynamic damage prevention by some hydroxycoumarins. <i>Fitoterapia</i> 64(2): 134-136, 1993.
Tumorigenic	Jim Duke's personal files.
Vulnerary	
Xanthine-Oxidase-Inhibitor IC50=39.21 uM	Mills, Simon and Bone, Kerry. 2000. <i>Phytotherapy</i> . Churchill Livingston, Edinburgh.
D-LIMONENE	Plant -- 352.0 -0.51 List, P.H. and Horhammer, L., <i>Hager's Handbuch der Pharmazeutischen Praxis</i> , Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.

Activities (19)

Antiacetylcholinesterase IC22=1.2 mM	
Anticancer (Breast) 8,000 mg/kg	
Anticancer (Gastric)	
Antimelanomic IC50=450 uM/l	
Antitumor (Breast) 8,000 mg/kg	
Antitumor (Gastric)	
Antitumor-Promoter	
Apoptotic 8,000 mg/kg	
Cancer-Preventive	
Chemopreventive	
Differentiator 8,000 mg/kg	
FLavor FEMA 30-2,300	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry
Hypocholesterolemic	
Insecticide	
Insectifuge	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Litholytic	Martindale's 28th
Nephrotoxic	
P450-2B1-Inhibitor IC50=0.19 uM	
Pesticide	

ELLAGIC-ACID	Plant -- --	List, P.H. and Horhammer, L., <i>Hager's Handbuch der Pharmazeutischen Praxis</i> , Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
--------------	-------------	--

Activities (51)

ACE-Inhibitor IC50=5 mM/l					
Abortifacient 1.2 mg/kg ivn mus					
Aldose-Reductase-Inhibitor IC50=0.2 uM					
Aldose-Reductase-Inhibitor IC50=0.2 ug/ml (strong activity)					
AntiGTF ID50=20 ug/ml					
AntiHIV IC90=200 ug/ml	Tan, G.T., Pezzuto, J.M., Kinghorn,* A.D., Hughes, S.H. Evaluation Of Natural Products As Inhibitors Of Human Immunodeficiency Virus Type 1 (HIV-1) Reverse Transcriptase. <i>Journal of Natural Products</i> , 54(1): 143-154, 1991.				
Antiaflatoxin					
Antianaphylactic					
Antibacterial 1,250 ug/ml					
Antibacterial ID50=20 ug/ml					
Anticancer (Cervix)	Joseph, J., Nadeau, D. and Underwood, A. 2001. <i>The Color Code</i> . Hyperion, NY.				
Anticancer (Colon)	Joseph, J., Nadeau, D. and Underwood, A. 2001. <i>The Color Code</i> . Hyperion, NY.				
Anticancer (Esophagus)	Joseph, J., Nadeau, D. and Underwood, A. 2001. <i>The Color Code</i> . Hyperion, NY.				
Anticancer (Mouth)	Joseph, J., Nadeau, D. and Underwood, A. 2001. <i>The Color Code</i> . Hyperion, NY.				
Anticariogenic ID50=20 ug/ml					
Anticataract	Shimizu, M., Horie, S., Terashima, S., Ueno, H., et al. 1989. Studies on Aldose Reductase Inhibitors from Natural Products.II. Active Components of a Paraguayan Crude Drug 'Pará-parai mi,' <i>Phyllanthus niruri</i> . <i>Chem. Pharm. Bull.</i> 37(9): 2531-2532, 1989.				
Antigingivitic 1,250 ug/ml					
Antihyperthyroid					
Antiinflammatory					
Antimalarial IC50=0.5 uM	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. <i>PlantaPhile Publications</i> , Berlin. 72 pp.				
Antimutagenic					
Antioxidant >50 x tocopherol	Osawa, T. Phenolic Antioxidants in Dietary Plants as Antimutagens. <i>Phenolic Compounds in Food and Their Effects on Health</i> , Ch.11 p.142.				
Antioxidant IC98=30 ppm					
Antioxidant 2/3 quercetin					
Antiperiodontic 1,250 ug/ml					
Antiperoxidant IC50=29 uM	Planta Medica, 57: A54, 1991.				
Antiplaque 1,250 ug/ml					
Antiplasmodial IC50=0.5 uM	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. <i>PlantaPhile Publications</i> , Berlin. 72 pp.				
Antiseptic 1,250 ug/ml					
Antistreptococcic ID50=20 ug/ml					
Antithyroid	Jim Duke's personal files.				
Antitumor					
Antiviral	Economic & Medicinal Plant Research, 5: 224.				
Antiyeast IC50=10.5 uM					
Apoptotic	Joseph, J., Nadeau, D. and Underwood, A. 2001. <i>The Color Code</i> . Hyperion, NY.				
Astringent	Martindale's 29th				
Cancer-Preventive 3 ppm					
Candida-SAP-Inhibitor IC50=8.4 uM					
Cytotoxic 4.6 ug/ml	Advance in Chinese Medicinal Materials Research. 1985. Eds. H. M. Chang, H. W. Yeung, W. -W. Tso and A. Koo. World Scientific Publishing Co., Philadelphia Pa., page 359.				
Deiodinase-Inhibitor	Jim Duke's personal files.				
Detoxicant					
Glucosyl-Transferase-Inhibitor ID50=20 ug/ml					
HIV-RT-Inhibitor	Economic & Medicinal Plant Research, 5: 224.				
Hemostatic	Merck 11th Edition				
Hepatoprotective IC55=30 ug/ml	Mayumi Ito (nee Someya), et al. 1990. Hepatoprotective Compounds from <i>Canarium album</i> and <i>Euphorbia nematocypha</i> . <i>Chem. Pharm. Bull.</i> 38(8): 2201-2203, 1990.				
Juvabional	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Pesticide					
Quinone-Reductase-Inducer 0.4 g/kg rat	Ahn, D., Putt, D., Kresty, L., Stoner, G. D., Fromm, D., Hollenberg, P. F. 1996. The Effects of Dietary Ellagic Acid on Rat Hepatic and Esophageal Mucosal Cytochromes P450 and Phase II Enzymes. <i>Carcinogenesis</i> , 17(4): 821-828.				
Sunscreen 0.50%	Jim Duke's personal files.				
Topoisomerase-I-Antagonist	Journal of Medicinal Food 2: 167.1999.				
Xanthine-Oxidase-Inhibitor IC50=3.1 uM	Hatano, T., Yasuhara, T., Yoshihara, R., Agata, I., Noro, T., and Okuda, T. 1989. Effects of Interaction of Tannins with Co-existing Substances.VII. Inhibitory Effects of Tannins Related Polyphenols on Xanthine Oxidase. <i>Chem. Pharm. Bull.</i> 38(5): 1224-1229				

EO	Plant	--	1500.0	-0.63	List, P.H. and Horhammer, L., <i>Hager's Handbuch der Pharmazeutischen Praxis</i> , Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
FLAVONOIDS	Flower	--	--	*	

Activities (2)

Antiretinoic

Colorant Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

KAEMPFEROL

Plant -- -- *

Activities (75)

11B-HSD-Inhibitor

5-Lipoxygenase-Inhibitor IC₅₀ (uM)=20Aldose-Reductase-Inhibitor 100 uM Oliveira, T. T., Nagem, T. J., Miranda, L. C. G., Paula, V. F., Teixeira, M. A. 1997. Inhibitory Action on Aldose Reductase by Soybean Flavonoids. *J Braz Chem Soc*, 8(3): 211-213.Antiaflatoxin IC₅₀=8.73 uMAntiaflatoxin IC₅₀=3.28 ppm

Antiaggregant 30 uM

Antiallergic

Antibacterial 20 ug/ml

Anticancer

Antifertility 250 mg/kg/day/60 days/orl rat Kumar, P., Dixit*, V.P., and Khanna, P. Antifertility Studies of Kaempferol: Isolation and Identification from Tissue Culture of some Medicinally Important Plant Species. *Plantes medicinales et phytotherapie*, 23: 193-201, 1989.

Antigingivitic 20 ug/ml

Antiherpetic 23-92 ug/ml Amoros, M., Simoes, C.M.O., Girre, L., et al. Synergistic Effect Of Flavones And Flavonols Against Herpes Simplex Virus Type 1 In Cell Culture. Comparison With The Antiviral Activity Of Propolis. *J. of Natural Products* 55(12):1732-1740, 1992.

Antihistaminic Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.

Antiimplantation

Antiinflammatory 20 mg/kg

Antiinflammatory 200 mg/kg ipr rat

Antileukemic IC₅₀=3.1 ug/ml Life Sciences 55: 1061.

Antilymphocytic Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

Antimutagenic ID₅₀=10-40 nM Phenolic Compounds in Food and Their Effects on Health. Antioxidants & Cancer Prevention. Huang, M.T., Ho, C.T. and Lee, C.Y. eds. 1992. ACS Symposium Series 507.ACS, Washington 402 pp.Antioxidant IC₅₀=40 uM

Antioxidant 3/4 quercetin

Antioxidant IC₅₀=1.2 ug/ml

Antiperiodontic 20 ug/ml

Antiplaque 20 ug/ml

Antiradicular 7 x quercetin

Antiseptic 20 ug/ml

Antiserotonin 200 mg/kg ipr rat

Antispasmodic Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.

Antistaphylococcic

Antitumor

Antitumor-Promoter Yasukawa, K., Takido, M., Takeuchi, M., Sato, Y., Nitta, K., and Nakagawa, S. 1989. Inhibitory Effects of Flavonol Glycosides on 12-O-Tetradecanoylphorbol-13-acetate-Induced Tumor Promotion. *Chem. Pharm. Bull.* 38(3): 774-776, 1990.

Antiulcer 50-200 mg/kg ipr rat

Antiviral 23-92 ug/ml

Apoptotic 60 uM

Aromatase-Inhibitor IC₁₂=1 uM/l Journal of Medicinal Food 2: 235.1999.

COX-2-Inhibitor

Cancer-Preventive Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

Carcinogenic Hutchings, A, Scott, AH, Lewis, G, and Cunningham, A. 1996. Zulu Medicinal Plants. An inventory. University of Natal Press, Pietermaritzburg. 450 pp.

Choleretic

Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.

Copper-Chelator

Cyclooxygenase-Inhibitor IC₅₀ (uM) =20

Cytotoxic

Diaphoretic? Lawrence Review of Natural Products, Dec-90.

Diuretic

Estrogenic EC50=0.56
uM

Fungicide 20 ug/ml

Father Nature's Farmacy: The aggregate of all these three-letter citations.

HIV-RT-Inhibitor
IC50=50-150 ug/mlGarcia, J., Morin,* C., Nyasse, B., Sondengam, B-L., Tchouankeu, J-C., and Tsamo, E. Complete Structural Assignments Of An Ergosterol Derivative From Entandrophragma utile. *Journal of Natural Products*, 54(1): 136-142, 1991.Hepatoprotective
IC50=5.46 uMHepatoprotective
IC50=1.30 ppm

Hypotensive

ICAM-1-Inhibitor

Inotropic

Iodothyronine-
Deiodinase-Inhibitor Jeffery B. Harborne and H. Baxter, eds. 1983. *Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants*. Taylor & Frost, London. 791 pp.

JNK-Inhibitor

Lipoxygenase-Inhibitor Jeffery B. Harborne and H. Baxter, eds. 1983. *Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants*. Taylor & Frost, London. 791 pp.

MAO-Inhibitor

Mutagenic

NO-Inhibitor IC50=13.9
uM

Natriuretic

Neuroprotective

PAF-Inhibitor

Pesticide

Protisticide Meckes, M., Calzada, F., Tapia-Contreras, A., Cedillo-Rivera, R. 1999. Antiprotozoal Properties of *Helianthemum glomeratum*. *Phytotherapy Research*, 13(2): 102-105.Quinone-Reductase-
Inducer 3 uMTNF-alpha-Inhibitor
IC50=3.99 uM

Teratologic

Topoisomerase-I- Inhibitor Santti, R., Makela, S., Strauss, L., Korman, J., Kostian, M. L. 1998. Phytoestrogens: Potential Endocrine Disruptors in Males. *Toxicol Ind Health*, 14: 223-237.Topoisomerase-II- Inhibitor IC50=8.1 ug/ml Constantinou, A., Mehta, R., Runyan, C., Rao, K., Vaughan, A., Moon, R. 1995. Flavonoids as DNA Topoisomerase Antagonists and Poisons: Structure-Activity Relationships. *J Natural Products*, 58: 217-225.Tyrosinase-Inhibitor
ID50=230 uM

Uterotrophic EC50=0.1- 25 uM/ Journal of Medicinal Food 2: 227.1999.

Vasodilator

cAMP-
Phosphodiesterase-
Inhibitor

iNOS-Inhibitor IC50=<15 uM

iNOS-Inhibitor
IC50=13.9 uM

L-LINALOL	Plant	--	398.0	1.68	*
L-LINALOOL	Plant	--	398.0	1.37	List, P.H. and Horhammer, L., <i>Hager's Handbuch der Pharmazeutischen Praxis</i> , Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
LINALYL-ACETATE	Plant	--	262.0	-0.45	List, P.H. and Horhammer, L., <i>Hager's Handbuch der Pharmazeutischen Praxis</i> , Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.

Activities (7)Anesthetic 0.01-1
ug/mlAntioxidant 400
ppmAntispasmodic ED50=0.21
mg/ml Fitoterapia No.59-1984.

FLavor FEMA 2-15 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Motor-Depressant Buchbauer et al, e.g.Buchbauer et al,1993.Therapeutic properties of essential oils and fragrances, Chap.12 in Teranishi,R, Buttery,R.G and Sugisawa,H. Eds. *Bioactive Volatile Compounds from Plants*. ACS Symposium Series 525. Amer. Chem. Soc., Washington DC

Perfumery Merck 11th Edition

Sedative

LUTEIN	Flower	--	--	List, P.H. and Horhammer, L., <i>Hager's Handbuch der Pharmazeutischen Praxis</i> , Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
--------	--------	----	----	--

Activities (15)

Antiatherosclerotic				
Anticancer (Breast)	Madhavi, D. L., Bomser, J., Smith, M., Singletary, K. 1998. Isolation of Bioactive Constituents from <i>Vaccinium myrtillus</i> (Bilberry) Fruits and Cell Cultures. <i>Plant Sci.</i> , 131(1): 95-103.			
Antimaculitic	Joseph, J., Nadeau, D. and Underwood, A. 2001. <i>The Color Code</i> . Hyperion, NY.			
Antinystalopic	Joseph, J., Nadeau, D. and Underwood, A. 2001. <i>The Color Code</i> . Hyperion, NY.			
Antioxidant				
Antiproliferant	Joseph, J., Nadeau, D. and Underwood, A. 2001. <i>The Color Code</i> . Hyperion, NY.			
Antiradicular				
Antiretinitic Optometry				
Antitumor (Breast)	Madhavi, D. L., Bomser, J., Smith, M., Singletary, K. 1998. Isolation of Bioactive Constituents from <i>Vaccinium myrtillus</i> (Bilberry) Fruits and Cell Cultures. <i>Plant Sci.</i> , 131(1): 95-103.			
Antitumor (Colon)				
Colorant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.			
Prooxidant 5-40 ug/g				
Quinone-Reductase-Inducer 2.5 ug	Madhavi, D. L., Bomser, J., Smith, M., Singletary, K. 1998. Isolation of Bioactive Constituents from <i>Vaccinium myrtillus</i> (Bilberry) Fruits and Cell Cultures. <i>Plant Sci.</i> , 131(1): 95-103.			
Retinoprotectant Optometry				
Ubiquiot	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.			

METHYL-HEPTENOL	Plant	--	105.0	List, P.H. and Horhammer, L., <i>Hager's Handbuch der Pharmazeutischen Praxis</i> , Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
OCIMENE	Plant	--	172.0 -0.61	List, P.H. and Horhammer, L., <i>Hager's Handbuch der Pharmazeutischen Praxis</i> , Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.

Activities (2)

Insecticide	Leung, A. Y. and Foster, S. 1995. <i>Encyclopedia of Common Natural Ingredients</i> 2nd Ed. John Wiley & Sons, New York. 649 pp.
Perfumery	Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

P-COUMARIC-ACID	Plant	--	--	*
-----------------	-------	----	----	---

Activities (25)

Aldose-Reductase-Inhibitor 4 ug/ml (weak activity)	Ichikawa, K., et al. 1991. Isolation and Structure Determination of Aldose Reductase Inhibitors from Traditional Thai Medicine, and Syntheses of Their Derivatives. <i>Sankyo Kenkyusho Nempo</i> , 43: 99-110.
Allelopathic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Antibacterial	<i>Pharmazie</i> , 46: 156, 1991.
Anticlastogen	
Antifertility	
Antihepatotoxic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Antileukemic IC50=25-56 ug/ml	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antinitrosaminic	Joseph, J., Nadeau, D. and Underwood, A. 2001. <i>The Color Code</i> . Hyperion, NY.
Antioxidant IC24=30 ppm	
Antioxidant 1/3 BHA	
Antiperoxidant IC50=>100 uM	<i>Planta Medica</i> , 57: A54, 1991.
Antiseptic	
Antispasmodic	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. <i>Herbal Medicine - A Guide for Health-care Professionals</i> . The Pharmaceutical Press, London. 296pp.
Antitumor	
Cancer-Preventive	
Chemopreventive	
Choleretic	
Cytotoxic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Diaphoretic?	Lawrence Review of Natural Products, Dec-90.
Fungicide	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.
Lipoxygenase-Inhibitor IC11=5 mM	Oszmianski, J. and Lee, C.Y. 1990. Inhibitory Effect of Phenolics on Carotene Bleaching in Vegetables. <i>J. Agric. Food Chem.</i> 38: 688-690.
Pesticide	
Prostaglandenic	
Prostaglandin-Synthesis-Inhibitor	
Tyrosinase-Inhibitor ID50=3,650 uM	

PATULETIN	Plant	--	--	List, P.H. and Horhammer, L., <i>Hager's Handbuch der Pharmazeutischen Praxis</i> , Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
-----------	-------	----	----	--

Activities (2)

Antispasmodic Iwu, M.M. 1993. *Handbook of African Medicinal Plants*. CRC Press, Boca Raton, FL 435 pp.
 Cholagogue

PATULIN

Plant -- -- Leung, A. Y. and Foster, S. 1995. *Encyclopedia of Common Natural Ingredients* 2nd Ed. John Wiley & Sons, New York. 649 pp.

Activities (3)

Anticapillary-Fragility Leung, A. Y. and Foster, S. 1995. *Encyclopedia of Common Natural Ingredients* 2nd Ed. John Wiley & Sons, New York. 649 pp.
 Antispasmodic Leung, A. Y. and Foster, S. 1995. *Encyclopedia of Common Natural Ingredients* 2nd Ed. John Wiley & Sons, New York. 649 pp.
 Hypertensive Leung, A. Y. and Foster, S. 1995. *Encyclopedia of Common Natural Ingredients* 2nd Ed. John Wiley & Sons, New York. 649 pp.

PATULITRIN

Flower -- -- List, P.H. and Horhammer, L., *Hager's Handbuch der Pharmazeutischen Praxis*, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.

PHYTOMELAN

Fruit -- -- List, P.H. and Horhammer, L., *Hager's Handbuch der Pharmazeutischen Praxis*, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.

QUERCETAGETIN

Flower -- -- List, P.H. and Horhammer, L., *Hager's Handbuch der Pharmazeutischen Praxis*, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.

Activities (8)

Aldose-Reductase-Inhibitor IC71=10 uM Shimizu, M., Ito, T., Terashima, S., Hayashi, T., Arisawa, M., Morita, N., Kurokawa, S., Ito, K., and Hashimoto, Y. 1984. Inhibition of Lens Aldose Reductase by Flavonoids. *Phytochemistry*, 23: 1885-1888.
 Aldose-Reductase-Inhibitor IC29=1 uM
 AntiHIV
 Antibacterial Jeffery B. Harborne and H. Baxter, eds. 1983. *Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants*. Taylor & Frost, London. 791 pp.
 Antioxidant Nigg, H.N. and Seigler, D.S., eds. 1992. *Phytochemical Resources for Medicine and Agriculture*. Plenum Press, New York. 445 pp.
 Dye Jeffery B. Harborne and H. Baxter, eds. 1983. *Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants*. Taylor & Frost, London. 791 pp.
 HIV-RT-Inhibitor IC50=<1 ug/ml Nakane, H., Fukushima, M., and Ono*, K. Differential Inhibition Of Reverse Transcriptase And Various DNA Polymerases By Digallic Acid And Its Derivatives. *Journal of Natural Products*, 53(5): 1234-1240, 1990.
 Pesticide

QUERCETAGITRIN

Flower -- -- List, P.H. and Horhammer, L., *Hager's Handbuch der Pharmazeutischen Praxis*, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.

Activities (3)

Antiherpetic Economic & Medicinal Plant Research, 5: 197.
 Antiviral Economic & Medicinal Plant Research, 5: 197.
 Pesticide

QUERCETIN

Plant -- -- *

Activities (176)

11B-HSD-Inhibitor
 5-Lipoxygenase-Inhibitor IC50 (uM)=4 Nigg, H.N. and Seigler, D.S., eds. 1992. *Phytochemical Resources for Medicine and Agriculture*. Plenum Press, New York. 445 pp.
 ATPase-Inhibitor
 Aldehyde-Oxidase-Inhibitor IC70-96=10 uM
 Aldose-Reductase-Inhibitor 100 uM Ichikawa, K., et al. 1991. Isolation and Structure Determination of Aldose Reductase Inhibitors from Traditional Thai Medicine, and Syntheses of Their Derivatives. *Sankyo Kenkyusho Nempo*, 43: 99-110.
 Aldose-Reductase-Inhibitor 4 ug/ml Okada,Y,et al.1995.Search for Naturally Occurring Substances to Prevent the Complications of Diabetes.II.Inhibitory Effect of Coumarin and Flavonoid Derivatives on Bovine Lens Aldose Reductase and Rabbit Platelet Aggregation.Chem Pharm Bull43(8):1385-1387
 Aldose-Reductase-Inhibitor IC50=0.344 uM Mao, X. M., Zhang, J. Q. 1993. Inhibition of Aldose Reductase by Extracts of Chinese Herbal Medicine. *Zhongguo Zhongyao Zazhi* , 18(10): 623-624.
 Allelochemical IC82=1 mM Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, *Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology*, v. 4, Oryx Press, Phoenix, 1989, 267pp.
 Allergenic Jeffery B. Harborne and H. Baxter, eds. 1983. *Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants*. Taylor & Frost, London. 791 pp.
 Analgesic
 AntiCrohn's 400 mg/man/3x/day Pizzorno, J.E. and Murray, M.T. 1985. *A Textbook of Natural Medicine*. John Bastyr College Publications, Seattle, Washington (Looseleaf).
 AntiGTF ID50=120 ug/ml
 AntiHIV
 AntiPMS 500 mg/2x/day/wmn Pizzorno, J.E. and Murray, M.T. 1985. *A Textbook of Natural Medicine*. John Bastyr College Publications, Seattle, Washington (Looseleaf).
 Antiaflatoxin IC50=25 uM

Antiaflatoxin IC50=7.5 ppm	
Antiaggregant IC50=55 uM	Economic & Medicinal Plant Research, 5: 333.
Antiaggregant 30 uM	
Antiaging	
Antiallergic IC50=14 uM	Jim Duke's personal files.
Antialzheimeran	
Antianaphylactic	Meli, R., Autore, G., Di Carlo, G., Capasso, F. Inhibitory Action of Quercetin on Intestinal Transit in Mice. <i>Phytotherapy Research</i> 4(5): 201, 1990.
Antiangiogenic	
Antiarthritic	
Antiasthmatic IC50=14 uM	
Antiatherosclerotic	
Antibacterial	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Anticarcinomic (Breast) IC50=1.5 uM	Medline (post 1990 searches filed in my computer)
Anticariogenic ID50=120 ug/ml	
Anticataract	
Anticolitic 400 mg/man/3x/day	Pizzorno, J.E. and Murray, M.T. 1985. <i>A Textbook of Natural Medicine.</i> John Bastyr College Publications, Seattle, Washington (Looseleaf).
Anticomplementary	
Anticystitic 1,000 mg/day/4 weeks	
Antidepressant	
Antidermatitic	Pizzorno, J.E. and Murray, M.T. 1985. <i>A Textbook of Natural Medicine.</i> John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antidiabetic	
Antielastase IC50=0.8 ug/ml	
Antiencephalitic	Economic & Medicinal Plant Research, 5: 199.
Antiescherichic	
Antiestrogenic	
Antifeedant IC52=<1,000 ppm diet	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, <i>Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology</i> , v. 4, Oryx Press, Phoenix, 1989, 267pp.
Antifibrosarcomic	
Antiflu	Vlietinck, A.J. and Dommisse, R.A. eds. 1985. <i>Advances in Medicinal Plant Research.</i> Wiss. Verlag. Stuttgart.
Antigastric	Rastitel'nye Resursy, 21: 85.
Antigonadotropic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Antihepatotoxic	Joyeux, M., Rolland, A., Fleurentin, J., Mortier, F., and Dorfman, P. 1989. Tert-Butyl Hydroperoxide-Induced Injury in Isolated Rat Hepatocytes: A Model for Studying Anti-Hepatotoxic Crude Drugs. <i>Planta Medica</i> 56(2): 171-173, 1990.
Antiperitic 48-150 ug/ml	
Antihistaminic IC50=<10 uM	
Antihydrophobic	Vlietinck, A.J. and Dommisse, R.A. eds. 1985. <i>Advances in Medicinal Plant Research.</i> Wiss. Verlag. Stuttgart.
Antihypertensive	Huang, K. C. 1993. <i>The Pharmacology of Chinese Herbs.</i> CRC Press, Boca Raton, FL 388 pp.
Antiinflammatory 20-150 mg/kg	Fitoterapia No.5-1990.
Antileishmanic IC50=64	
Antileukemic IC50=10 uM	Economic & Medicinal Plant Research, 5: 225.
Antileukemic IC50=>10 ug/ml	Life Sciences 55: 1061.
Antileukemic 5.5-60 uM	
Antileukotriene	Pizzorno, J.E. and Murray, M.T. 1985. <i>A Textbook of Natural Medicine.</i> John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antilipoperoxidant IC67=50	
Antimalarial IC50=1-6.4 ug/ml	Medicinal and Poisonous Plants of the Tropics. Leeuwenberg, A.J.M., ed. Pudoc, Wageningen. 1987.
Antimelanomic	
Antimetastatic	
Antimutagenic ID50=2-5 nM	Phenolic Compounds in Food and Their Effects on Health. Antioxidants & Cancer Prevention. Huang, M.T., Ho, C.T. and Lee, C.Y. eds. 1992. ACS Symposium Series 507.ACS, Washington 402 pp.
Antimutagenic ID50=0.62 ug/ml	
Antimycarditic	Economic & Medicinal Plant Research, 5: 199.
Antinitrosaminic	
Antinociceptive	
Antioxidant IC96=300 ppm	Phenolic Compounds in Food and Their Effects on Health. Antioxidants & Cancer Prevention. Huang, M.T., Ho, C.T. and Lee, C.Y. eds. 1992. ACS Symposium Series 507.ACS, Washington 402 pp.
Antioxidant ED50=2.3 uM	Seidel, V., Verholle, M., Malard, Y., Tillequin, F., Fruchart, J-C., Duriez, P., Bailleul, F., Teissier, E. 2000. Phenylpropanoids from Ballota nigra L. Inhibit in vitro LDL Peroxidation. <i>Phytotherapy Research</i> , 14(2): 93-98.
Antioxidant 4.7 x Vit. E	
Antioxidant IC47=10 uM	

Antipancreatitis	Joseph, J., Nadeau, D. and Underwood, A. 2001. <i>The Color Code</i> . Hyperion, NY.
Antiperiodontal	Pizzorno, J.E. and Murray, M.T. 1985. <i>A Textbook of Natural Medicine</i> . John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antiperistaltic	
Antipermeability	
Antiperoxidant	Planta Medica, 57: A110, 1991.
Antipharyngitic	Pizzorno, J.E. and Murray, M.T. 1985. <i>A Textbook of Natural Medicine</i> . John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antiplaque	Pizzorno, J.E. and Murray, M.T. 1985. <i>A Textbook of Natural Medicine</i> . John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antiplasmodial IC50=13-64	
Antipodriac	
Antipolio	Pizzorno, J.E. and Murray, M.T. 1985. <i>A Textbook of Natural Medicine</i> . John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antiproliferant 10 nM	
Antiprostanoid	
Antiprostatic	Joseph, J., Nadeau, D. and Underwood, A. 2001. <i>The Color Code</i> . Hyperion, NY.
Antipsoriac	Pizzorno, J.E. and Murray, M.T. 1985. <i>A Textbook of Natural Medicine</i> . John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antiradicular IC50=4.6 uM	Planta Medica, 56(6): 695, 1990.
Antispasmodic	
Antistreptococcic ID50=120 ug/ml	
Antithiamin	Phenolic Compounds in Food and Their Effects on Health, 69.
Antithrombic	
Antitrypanosomic IC50=13	
Antitumor 10 uM	
Antitumor (Bladder)	
Antitumor (Breast)	
Antitumor (Colon)	
Antitumor (Lung)	
Antitumor (Ovary)	
Antitumor (Skin) 20 uM	
Antitumor-Promoter	Pizzorno, J.E. and Murray, M.T. 1985. <i>A Textbook of Natural Medicine</i> . John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antiulcer	
Antiviral IC50=10 uM	Economic & Medicinal Plant Research, 5: 225.
Antiviral 48-150 ug/ml	Amoros, M., Simoes, C.M.O., Girre, L., et al. Synergistic Effect Of Flavones And Flavonols Against Herpes Simplex Virus Type 1 In Cell Culture. Comparison With The Antiviral Activity Of Propolis. <i>J. of Natural Products</i> 55(12):1732-1740, 1992.
Apoptotic 20-60 uM	
Bacteristat 10 mg/ml	
Bradycardiac	Huang, K. C. 1993. <i>The Pharmacology of Chinese Herbs</i> . CRC Press, Boca Raton, FL 388 pp.
COMT-Inhibitor	
COX-2-Inhibitor <40 uM	
Calmodulin-Antagonist	Pizzorno, J.E. and Murray, M.T. 1985. <i>A Textbook of Natural Medicine</i> . John Bastyr College Publications, Seattle, Washington (Looseleaf).
Cancer-Preventive	Stitt, P. A. <i>Why George Should Eat Broccoli</i> . Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	
Capillariprotective	Merck 11th Edition
Carcinogenic 40,000 ppm (diet) mus	Nigg, H.N. and Seigler, D.S., eds. 1992. <i>Phytochemical Resources for Medicine and Agriculture</i> . Plenum Press, New York. 445 pp.
Catabolic	
Copper-Chelator	
Cyclooxygenase-Inhibitor	
Cytochrome-P450-1A2-Inhibitor	
Cytotoxic ED50=70 ug/ml	Matsukawa, Y., et al. The Effect of Quercetin and Other Flavonoids on Cell Cycle Progression and Growth of Human Gastric Cancer Cells. <i>Planta Medica</i> , 56(6): 677, 1990.
Cytotoxic IC82=100 ug/ml	Planta Medica, 57: A113, 1991.
Deiodinase-Inhibitor	Jim Duke's personal files.
Diaphoretic?	Lawrence Review of Natural Products, Dec-90.
Differentiator 5.5 uM	
Estrogenic 10% genistein	
Fungicide	
Glucosyl-Transferase-Inhibitor ID50=120 ug/ml	
HIV-RT-Inhibitor IC50=<1 ug/ml	Nakane, H., Fukushima, M., and Ono*, K. Differential Inhibition Of Reverse Transcriptase And Various DNA Polymerases By Digallic Acid And Its Derivatives. <i>Journal of Natural Products</i> , 53(5): 1234-1240, 1990.
Hemostat	Huang, K. C. 1993. <i>The Pharmacology of Chinese Herbs</i> . CRC Press, Boca Raton, FL 388 pp.
Hepatomagenic 5,000 ppm (diet) rat	Phenolic Compounds in Food and Their Effects on Health. <i>Antioxidants & Cancer Prevention</i> . Huang, M.T., Ho, C.T. and Lee, C.Y. eds. 1992. ACS Symposium Series 507.ACS, Washington 402 pp.
Hepatoprotective	
Hypoglycemic 100 mg/kg orl rat	Ivorra, M.D., Paya, M., and Villar, A. 1989. A Review of Natural Products and Plants as Potential Antidiabetic Drugs. <i>Journal of Ethnopharmacology</i> , 27: 243-275, 1989.
Inotropic	

Insulinogenic	Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).	
Juvabional	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.	
Larvistat 8,000 ppm diet	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.	
Lipoxygenase-Inhibitor IC11=I.25 mM	Oszmianski, J. and Lee, C.Y. 1990. Inhibitory Effect of Phenolics on Carotene Bleaching in Vegetables. <i>J. Agric. Food Chem.</i> 38: 688-690.	
Lipoxygenase-Inhibitor IC50=0.1-5 uM		
MAO-A-Inhibitor		
MMP-9-Inhibitor 20 uM		
Mast-Cell-Stabilizer		
Metal-Chelator (Copper)	Seidel, V., Verholle, M., Malard, Y., Tillequin, F., Fruchart, J-C., Duriez, P., Bailleul, F., Teissier, E. 2000. Phenylpropanoids from <i>Ballota nigra</i> L. Inhibit in vitro LDL Peroxidation. <i>Phytotherapy Research</i> , 14(2): 93-98.	
Metalloproteinase-Inhibitor IC50=>42 uM		
Mutagenic		
NADH-Oxidase-Inhibitor		
NEP-Inhibitor IC50=>42 uM		
NF-kB-Inhibitor		
NO-Inhibitor IC>50=125 uM		
NO-Inhibitor IC50=20 uM		
NO-Synthase-Inhibitor 5-50 uM		
Neuroprotective 5-25 uM		
Ornithine-Decarboxylase-Inhibitor <10 uM		
P450-Inducer 5 uM	Father Nature's Farmacy: The aggregate of all these three-letter citations.	
P450-Inhibitor 50-100 uM	Father Nature's Farmacy: The aggregate of all these three-letter citations.	
PGE2-Inhibitor		
PTK-Inhibitor 0.4-24 uM		
Pesticide		
Phospholipase-Inhibitor		
Plasmodicide	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.	
Proliferant		
Prostaglandin-Synthesis-Inhibitor 40 ug/ml	Ibewuike, J. C., Ogungbamila, F. O., Ogundaini, A. O., Okeke, I. N., Bohlin, L. 1997. Antiinflammatory and Antibacterial Activities of C-methylflavonol from <i>Piliostigma thonningii</i> . <i>Phytotherapy Research</i> , 11(4): 281-284.	
Protein-Kinase-C-Inhibitor	Naim, M., Zehavi, U., Nagy, S., and Rouseff, R.L. Hydroxycinnamic Acids as Off-Flavor Precursors in Citrus Fruits and Their Products. Phenolic Compounds in Food and Their Effects on Health, Ch.14.	
Quinone-Reductase-Inducer 6 uM	Uda, Y., Price, K. R., Williamson, G., Rhodes, M. J. C. 1997. Induction of the Anticarcinogenic Marker Enzyme, Quinone Reductase, in Murine Hepatoma Cells In Vitro by Flavonoids. <i>Cancer Lett.</i> , 120 (2): 213-216.	
Quinone-Reductase-Inducer 13 uM		
TNF-alpha-Inhibitor IC50=3.11 uM		
Teratologic		
Topoisomerase-I-Inhibitor IC50=12.8 ug/ml		
Topoisomerase-I-Inhibitor IC50=42 uM		
Topoisomerase-II-Inhibitor IC50=1-6.9 ug/ml		
Topoisomerase-II-Inhibitor IC50=23-40 uM		
Tumorigenic 0.1% diet orl rat/yr	Jim Duke's personal files.	
Tyrosinase-Inhibitor ID50=70 uM		
Tyrosine-Kinase-Inhibitor	Economic & Medicinal Plant Research, 6: 170.	
VEGF-Inhibitor		
Vasodilator		
Xanthine-Oxidase-Inhibitor IC50=>0.4 ug/ml	Chem. & Pharm. Bull. 38: 1772.	
Xanthine-Oxidase-Inhibitor IC50=10.6 ug/ml		
Xanthine-Oxidase-Inhibitor 3.1 uM		
cAMP-Phosphodiesterase-Inhibitor	Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).	
iNOS-Inhibitor IC50=20 uM		
RUBICHROM	Flower -- --	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
RUBIXANTHIN	Flower -- --	*

Activities (1)

Colorant Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

TAGETONE	Plant	--	210.0	-0.65	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
----------	-------	----	-------	-------	--

Activities (2)

Juvabional

Pesticide

TERTHEINYL	Root	--	--	ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
------------	------	----	----	--

VIOLAXANTHIN	Flower	--	--	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
--------------	--------	----	----	--

Activities (2)

Colorant Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

Ubiquiot Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.